



# INDEX

	<b>page</b>
<b>PAPER PLATE MAKING MACHINE</b>	
MANUAL MACHINE	01
SEMI-AUTOMATIC MACHINE	02
SINGLE DICE AUTOMATIC CRANK MACHINE	03
DOUBLEDICE AUTOMATIC CRANK MACHINE	04
SINGLE DICE HY.PANEL OPERATED MACHINE	05
SINGLE DICE HY.LEVER OPERATED MACHINE	06
DOUBLE DICE HY.LEVER OPERATED MACHINE	07
DOUBLE DICE HY. PANEL OPERATED MACHINE	08
ALL IN ONE MACHINE	09
HIGH SPEED ALL IN ONE MACHINE	10
HIGH SPEED DOUBLE DICE HYDRAULIC MACHINE	11
<b>CAMPBOR MAKING MACHINE</b>	
AUTOMATIC CAMPBOR MAKING MACHINE	12
<b>PAPAD MAKING MACHINE</b>	
AUTOMATIC PAPAD MAKING MACHINE	13
<b>CHAPATI MAKINBG MACHINE</b>	
AUTOMATIC CHAPATI MAKING MACHINE	14

# OMM ENTERPRISES

page-01

## MANUAL MACHINE

Manual paper plate-making machines are designed for simplicity and affordability, offering a few key features: they typically involve a hand-operated lever or press to shape the paper into plates. These machines are usually compact and require minimal setup, making them suitable for all kinds of production for businesses with limited space.



- |                        |                      |
|------------------------|----------------------|
| • GSM                  | -80 - 400            |
| • MAX SIZE             | -4" TO 13"           |
| • VOLTAGE              | -220 V               |
| • PHASE                | -SINGLE              |
| • M/C SIZE(HXLXW)      | -760 X 510 X 510 MM  |
| • WEIGHT               | -130 KG APPROX       |
| • ELECTRIC CONSUMPTION | -1 TO 2 UNITS / HOUR |

+91 84800 54846

[www.ommpaperplate.com](http://www.ommpaperplate.com)
[soumya@ommpaperplate.com](mailto:soumya@ommpaperplate.com)

At/Po- Danagadi, Infront of BHIL  
 Residency, Kalingnagar, Jaipur,  
 Odisha- 755026

# OMM ENTERPRISES

## SEMI-AUTOMATIC CRANK MODEL

A semi-automatic crank model paper plate machine is a type of machine used to produce paper plates, where the operator manually controls the crank to operate the pressing mechanism, while other functions are automated. Key features include manual operation via a crank, adjustable plate size and shape (through die changes), and the ability to work with various paper weights (GSM).



- |                        |                      |
|------------------------|----------------------|
| • GSM                  | -80 - 300            |
| • MAX SIZE             | -4" TO 13"           |
| • VOLTAGE              | -220 V               |
| • PHASE                | -SINGLE              |
| • MOTOR                | -0.5                 |
| • M/C SIZE(HXLXW)      | -1370 X 610X 610 MM  |
| • WEIGHT               | -130 KG APPROX       |
| • ELECTRIC CONSUMPTION | -1 TO 2 UNITS / HOUR |

# OMM ENTERPRISES

## SINGLE DICE AUTOMATIC CRANK MACHINE

A single-dice automatic crank paper plate machine is a semi-automatic machine that uses a crank to apply pressure for forming paper plates from raw material. It's characterized by a single die for plate shaping, a semi-automatic operation where one time has to feed the material till the roll completed.



- |                        |                       |
|------------------------|-----------------------|
| • GSM                  | -80 - 140             |
| • MAX SIZE             | -4" TO 13"            |
| • VOLTAGE              | -220 V                |
| • PHASE                | -SINGLE               |
| • MOTOR                | -1 HP                 |
| • M/C SIZE(HXLXW)      | -1800 X 1020 X 760 MM |
| • WEIGHT               | -200 KG APPROX        |
| • ELECTRIC CONSUMPTION | -1 TO 2 UNITS / HOUR  |

# OMM ENTERPRISES

page-04

## DOUBLE DICE AUTOMATIC CRANK Machine

A double-dice automatic crank paper plate machine is a machine used to produce paper plates efficiently using a crank mechanism with two dice. These machines are typically fully automatic, meaning they automate the process from feeding raw materials to forming, pressing, and cutting the plates. Key features include:



- |                        |                        |
|------------------------|------------------------|
| • GSM                  | -80 - 140              |
| • MAX SIZE             | -4" TO 13"             |
| • VOLTAGE              | -220 V                 |
| • PHASE                | -SINGLE                |
| • MOTOR                | -1 HP                  |
| • M/C SIZE(HXLXW)      | -1800 X 1250 X 1020 MM |
| • WEIGHT               | -270 KG APPROX         |
| • ELECTRIC CONSUMPTION | -1 TO 2 UNITS / HOUR   |

+91 84800 54846

www.ommpaperplate.com

soumya@ommpaperplate.com

 At/Po- Danagadi, Infront of BHIL  
 Residency, Kalingnagar, Jaipur,  
 Odisha- 755026

## SINGLE DICE HY. PANEL OPERATED MACHINE

A single dice hydraulic paper plate machine with a panel for operation offers features like automatic operation, a hydraulic system for efficient pressing, and the ability to produce various plate sizes. These machines are known for their ease of use and ability to produce uniform and durable plates.



. GSM	-80 - 400
. MAX SIZE	-4" TO 15"
. VOLTAGE	-220 V
. PHASE	-SINGLE
. MOTOR	-2 HP
. M/C SIZE(HXLXW)	-1450 X 600X 700 MM
. WEIGHT	-95 KG APPROX
. ELECTRIC CONSUMPTION	-1.5 TO 2 UNITS / HOUR

## SINGLE DICE HY. LEVER OPERATED MACHINE

A single-lever-operated paper plate machine is a semi-automatic machine used to manufacture paper plates. It typically features a hydraulic system for pressing and shaping the paper and a lever for manual operation. Key features include the ability to produce plates in various sizes (often from 4" to 15" inches) use different paper weights (80-400 GSM) and a achieve production rates of around 800-1000 pieces per hour. The machine is generally single-phase and requires minimal power, making it suitable for small to medium-scale production.



- |                        |                     |
|------------------------|---------------------|
| • GSM                  | - 80 -400           |
| • MAX SIZE             | -4" to 15"          |
| • VOLTAGE              | - 220 V             |
| • PHASE                | - SINGLE            |
| • MOTOR                | -2HP                |
| • M/C SIZE(HXLXW)      | -1450 X 600X 700 MM |
| • WEIGHT               | - 95 KG APPROX      |
| • ELECTRIC CONSUMPTION | -1.5TO2UNITS / HOUR |

## DOUBLE DICE HY. LEVER OPERATED MACHINE

A double-dice, hydraulic, lever-operated paper plate machine typically features: a semi-automatic operation, a double dice for producing two plates at once, a hydraulic system for pressing, a lever for manual control and the ability to produce plates in a range of sizes (typically 4"-15" inches) from various paper weights (80- 400 GSM).



- |                        |                        |
|------------------------|------------------------|
| • GSM                  | - 80 -400              |
| • MAX SIZE             | -4" to 15"             |
| • VOLTAGE              | - 220 V                |
| • PHASE                | - SINGLE               |
| • MOTOR                | -2HP                   |
| • M/C SIZE(HXLXW)      | -1500 X 600 X 1150 MM  |
| • WEIGHT               | -160 KG APPROX         |
| • ELECTRIC CONSUMPTION | -2 TO 2.5 UNITS / HOUR |

# OMM ENTERPRISES

## DOUBLE DICE HY. PANEL OPERATED MACHINE

A double-dice hydraulic paper plate machine with panel operation is designed for efficient and high-volume production of paper plates. It features a hydraulic system for pressure application, a double-dice setup for producing two plates simultaneously and a user-friendly panel interface for easy operation



- |                        |                        |
|------------------------|------------------------|
| • GSM                  | - 80 -400              |
| • MAX SIZE             | -4" to 15"             |
| • VOLTAGE              | - 220 V                |
| • PHASE                | - SINGLE               |
| • MOTOR                | -2HP                   |
| • M/CSIZE(HXLXW)       | -1500 X 600 X 1150 MM  |
| • WEIGHT               | -160 KG APPROX         |
| • ELECTRIC CONSUMPTION | -2 TO 2.5 UNITS / HOUR |

## ALL IN ONE MACHINE

An all-in-one paper plate machine typically offers features like automatic operation, adjustable dice, high-speed production and the ability to handle various paper plate sizes and thicknesses. These machines are designed for efficient and consistent paper plate manufacturing, often incorporating user-friendly interfaces and durable construction.



- |                        |                       |
|------------------------|-----------------------|
| • GSM                  | - 80 - 400            |
| • MAX SIZE             | -4" to 15"            |
| • VOLTAGE              | -220 V                |
| • PHASE                | -SINGLE               |
| • MOTOR                | -2 HP                 |
| • M/C SIZE(HXLXW)      | -1520 X 915 X 915 MM  |
| • WEIGHT               | -200 KG APPROX        |
| • ELECTRIC CONSUMPTION | -2.5 TO 3 UNITS / HOU |
| • ROLL CARRIER         | -4 CARRIER WITH M/C   |

## HIGH SPEED ALL IN ONE MACHINE

A high-speed, all-in-one paper plate machine typically offers features like automatic paper feeding, forming and ejection, along with options for different plate sizes and shapes and the ability to produce at high speeds. Some models can even produce two different sizes of plates simultaneously. These machines designed for easy maintenance.



- |                       |                        |
|-----------------------|------------------------|
| • GSM                 | -80 -400               |
| • MAX SIZE            | -4" to 15"             |
| • VOLTAGE             | -220 V                 |
| • PHASE               | -SINGLE                |
| • MOTOR               | -2HP, 0.5 HP           |
| • M/CSIZE(HXLXW)      | -1520 X 915 X 915 MM   |
| • WEIGHT              | -200 KG APPROX         |
| • ELECTRY CONSUMPTION | -2.5 TO 2 UNITS / HOUR |
| • ROLL CARRIER        | -4 CARRIER M/C         |

## DOUBLE DICE HIGH SPEED HYDRAULIC MACHINE

A high-speed double-dice hydraulic paper plate machine offers several key features, including high production capacity an efficient hydraulic system and the ability to produce various plate sizes and shapes. These machines are typically semi-automatic, utilizing a hydraulic system for forming and pressing the plates.




- |                        |                        |
|------------------------|------------------------|
| • GSM                  | - 80 -400              |
| • MAX SIZE             | -4" to 15"             |
| • VOLTAGE              | -220 V                 |
| • PHASE                | -SINGLE                |
| • MOTOR                | -2HP                   |
| • M/CSIZE(HXLXW)       | -1680 X 660 X 1090 MM  |
| • WEIGHT               | -220 KG APPROX         |
| • ELECTRIC CONSUMPTION | -1.5 TO 2 UNITS / HOUR |

# OMM ENTERPRISES

## AUTOMATIC CAMPHOR MACHINE

An automatic camphor (Kapoor) making machine automates the process of producing camphor tablets, enhancing efficiency and consistency in manufacturing. Key features include automatic feeding, pressing, and cutting mechanisms for uniform tablet size and shape, as well as options for different tablet sizes and shapes. These machines are designed for both industrial and commercial use, reducing manual labor and increasing productivity.



- |                        |                    |
|------------------------|--------------------|
| • MATERIAL             | -WHITE CAMPHOR     |
| • POWER SOURCE         | -ELECTRIC          |
| • MOTOR                | -2 HP              |
| • PHASE                | -SINGLE            |
| • STROKE               | -56 / MINUTE       |
| • WEIGHT               | -80 KG APPROX      |
| • ELECTRIC CONSUMPTION | -0.75 UNITS / HOUR |
| • VOLTAGE              | -220 V             |
| • PRODUCTION           | -6 TO 8 KG / HOUR  |

## PAPAD MACKING MACHINE

An automatic papad-making machine automates the process of papad production, from mixing and sheeting to cutting and potentially drying, offering increased efficiency and consistency compared to manual methods. These machines are commonly used in large-scale food and snack industries, with varying capacities and automation levels.



- |                        |  |
|------------------------|--|
| • MAX SIZE             | -L - 44" W - 16" H - 30" APPROX -220 V |
| • VOLTAGE              | -SINGLE                                |
| • PHASE                | -0.5 HP                                |
| • MOTOR                | -50 MM(GUPCHU) 4 TO 6.5 INCH(PAPAD)    |
| • DIE SIZE             | -120 KG APPROX                         |
| • WEIGHT               | -0.75 UNITS / HOUR                     |
| • ELECTRIC CONSUMPTION | -8" INCH                               |
| • ROLLER SIZE          | -8000 PCS(GUPCHUP)1000 PCS(PAPAD)      |
| • PRODUCTION           |  |

## AUTOMATIC CHAPATI MAKING MACHINE

Automatic chapati machines streamline the process of chapati production, offering features like dough preparation, shaping and cooking, with options for size and thickness adjustments. These machines can significantly reduce labor needs and production time while maintaining consistent quality and hygiene.



- |                        |                         |
|------------------------|-------------------------|
| • MOTOR                | -0.5 HP (standard make) |
| • SIZE OF ROTI         | -2" TO 8"               |
| • CAPACITY             | -500 TO 600 PCS /HOUR   |
| • SIZE                 | -63" X 23" X 52"        |
| • WEIGHT               | -300 KG APPROX          |
| • ELECTRIC CONSUMPTION | -2 TO 3 UNITS / HOUR    |
| • PRESSING PLATE       | -CERAMIC                |
| • GAS CONSUMPTION      | -1.2 TO 1.7 KG/ HOUR    |